



LamDoor



CEDAR DECOR PVT. LTD.

A-1 / 1001, 10th Floor, Palladium, Corporate Road,
Makarba, Ahmedabad - 380015, Gujarat.
Ph. : +91 (79) 2970 5335 / 6 / 7 • Fax : +91 (79) 2970 5338
email : mail@cedarindia.com

Durian

Durian

Durian



DECORATIVE LAMINATES

A Commitment To Excellence

www.durianlam.com




PERFECT
DOOR
WITH PERFECT
SOLUTIONS



LamDoor

www.durianlam.com



CHARM INTO YOUR SPACE
WITH OUR WOODEN DOORS

*natural
beauty*





VERTICAL &
HORIZONTAL DOOR



Index

Index

PRINTED DOOR



About us

OPEN YOUR DOORS TO OPULENCE

"The extreme always makes an impression" with that in mind. Durian Door Skin Laminates bring to your India's extremely high moving Project based High Pressure Laminates. We are known to provide the best quality of door skin and we offer a wide range of products to satisfy the needs of our each and every client. Pioneering into the market of laminates for over a decade Durian brings our Innovative & trend setter product to coter the market.



We began our journey..

Started our journey by making international grade plywood

Rohit Alok Delhi, India

"Durian was the perfect fit for my mom. Now it's the perfect fit for me"

ABOUT US Durian

Our Story began in 1981 with the wholesale and retail trade of plywood. Today, we take pride in bringing you furniture solutions for every sector, space and taste.

Inspired by art, we gave you decorative veneer

First one to set up a decorative veneer manufacturing in india

Natasha Mumbai, India

"Durian was the perfect fit for my mom. Now it's the perfect fit for me"



Transforming your homes and offices, One space at a time

Durian started providing turn-key solutions for every space.

Neeraj Singh Chandigarh, India

"There's not a single space of part of my life that Durian has left untouched"



Exploring new platforms to stay connected, with you

Durian tied up with e-commerce companies and launched www.durian.in for online selling of our furniture.

Adi Shah Mumbai, India

"Every time I think of buying new furniture, all I have to do is log on to the durian website and it's done"



Opened doors to Newer Avenues

Began designing doors for a great first impression, every time.

Sanna Sheikh Kolkata, India

"My friends and relatives can't stop talking about my interiors, Thanks to Durian!"




Home & Office Furniture Plywood & Doors Laminates Trunkey Solutions Veneer

Beautiful Laminates, That Stand the test of time.

We set up the first ever manufacturing unit for decorative laminate in India.

Suraj Chhabria Mumbai, India

"I believe in long term relationships. I believe in Durian.!"



AVAILABLE SIZE 7x3.25 | 8x4 FEET



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor

7x3.25 & 8x4 FEET



NEW

K 199 SF (7x3.25)
K 205 SF (8x4)

CUBA OAK RED

7x3.25 & 8x4 FEET



NEW

K 200 SF (7x3.25)
K 206 SF (8x4)

CUBA OAK

7x3.25 & 8x4 FEET



NEW

K 197 SF (7x3.25)
K 203 SF (8x4)

SAPWOOD POLISHED

7x3.25 & 8x4 FEET



NEW

K 198 SF (7x3.25)
K 204 SF (8x4)

RAW SAPWOOD



VERTICAL & HORIZONTAL DOOR


- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET



K 164 SF (7x3.25) TRINIDAD WOOD YELLOW
K 175 SF (8x4)

K 165 SF (7x3.25) TRINIDAD WOOD RED
K 176 SF (8x4)

K 166 SF (7x3.25) TRINIDAD WOOD BROWN
K 177 SF (8x4)



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT




LamDoor

7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET



K 161 SF (7x3.25)
K 172 SF (8x4)

CANYON WOOD

K 167 SF (7x3.25)
K 178 SF (8x4)

CANGO WALNUT YELLOW

K 168 SF (7x3.25)
K 179 SF (8x4)

CANGO WALNUT TAN

K 169 SF (7x3.25)
K 180 SF (8x4)

CONGO WALNUT BROWN



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET

7x3.25 & 8x4 FEET



K 162 SF (7x3.25)
K 173 SF (8x4)

ORCHARD WOOD BROWN

K 163 SF (7x3.25)
K 174 SF (8x4)




ORCHARD WOOD TEAK

K 155 SF (7x3.25)
K 160 SF (8x4)

EBONY WOOD DARK



**VERTICAL &
HORIZONTAL DOOR**

-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 & 8x4 FEET



K 170 SF (7x3.25)
K 181 SF (8x4)

BROWNY ACACIA

7x3.25 & 8x4 FEET



K 171 SF (7x3.25)
K 182 SF (8x4)

CREAMY ACACIA


7x3.25 & 8x4 FEET



K 152 SF (7x3.25)
K 157 SF (8x4)

EXOTIC WOOD BROWN

7x3.25 & 8x4 FEET






K 153 SF (7x3.25)
K 158 SF (8x4)

EXOTIC WOOD CHOCO



**VERTICAL &
HORIZONTAL DOOR**

-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



LamDoor

7x3.25 & 8x4 FEET



K 120 SF (7x3.25)
K 183 SF (8x4)

CLASSIC WALNUT

7x3.25 & 8x4 FEET



K 128 SF (7x3.25)
K 184 SF (8x4)

CARCASIAXI WALNUT

7x3.25 & 8x4 FEET



K 129 SF (7x3.25)
K 185 SF (8x4)

VANISH WENGE

7x3.25 & 8x4 FEET




K 131 SF (7x3.25)
K 186 SF (8x4)

ROSEN HOIZ



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 & 8x4 FEET



K 133 SF (7x3.25)
K 187 SF (8x4)

TYROL PINE



7x3.25 FEET



K 189 SF (7x3.25)

ARIZONA WOOD




**VERTICAL &
HORIZONTAL DOOR**

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor


7x3.25 FEET



K 102 SF (7x3.25)

ZEBRA WOOD

7x3.25 FEET



K 104 SF (7x3.25)

EXOTIC WOOD

7x3.25 FEET



K 106 SF (7x3.25)

GOLDEN TEAKWOOD

7x3.25 FEET



K 107 SF (7x3.25)

EUROPEAN TEAWOOD




VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor

7x3.25 FEET




K 109 SF (7x3.25)

SILVANIA WOOD



7x3.25 FEET



K 110 SF (7x3.25)

BLACK PINE

7x3.25 FEET



K 111 SF (7x3.25)

KNOTTY PINE



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 FEET



K 113 SF (7x3.25)

DARK TEAKWOOD

7x3.25 FEET



K 114 SF (7x3.25)

PLATINO WOOD

7x3.25 FEET



K 115 SF (7x3.25)

PLATINO DARK WOOD

7x3.25 FEET



K 116 SF (7x3.25)

LEON WOOD



**VERTICAL &
HORIZONTAL DOOR**

7x3.25 FEET



K 118 SF (7x3.25)

ALASKA WOOD

7x3.25 FEET




K 123 SF (7x3.25)

SPANISH WALNUT

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT




LamDoor

ICON





**VERTICAL &
HORIZONTAL DOOR**

-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 FEET



K 124 SF (7x3.25)

SMOKED WALNUT

7x3.25 FEET



K 125 SF (7x3.25)

HARMONY WALNUT

7x3.25 FEET



K 126 SF (7x3.25)

BRAZILIAN WOOD

7x3.25 FEET






K 127 SF (7x3.25)

AFRICAN WOOD




**VERTICAL &
HORIZONTAL DOOR**

-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 FEET



K 130 SF (7x3.25)

MAJESTIC WOOD

7x3.25 FEET



K 132 SF (7x3.25)

BROWN PINE

7x3.25 FEET



K 134 SF (7x3.25)

BELLORD WALNUT

7x3.25 FEET



K 135 SF (7x3.25)

KHOTTY WALNUT



7x3.25 FEET



K 188 SF (7x3.25)

NATURAL WENGE

VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



Witness the raw charm of nature with a more vivid design.

LAMINATE





PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor

7x3.25 FEET



K 201 MT (7x3.25)

ROSEWOOD DOOR


7x3.25 FEET



K 202 MT (7x3.25)

BLOSSOM DOOR


7x3.25 FEET



K 136 MT (7x3.25)

IMPERIAL DOOR

7x3.25 FEET



K 137 MT (7x3.25)

CRISSCROSS DOOR

NEW

NEW




PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor



K 138 MT (7x3.25)

WOODLAB DOOR




K 139 MT (7x3.25)

ELEGANT DOOR



K 140 MT (7x3.25)

ANTIQUE DOOR



K 141 MT (7x3.25)

CREEPERS DOOR




PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor


7x3.25 FEET



K 142 MT (7x3.25)

CROSS CUT DOOR

7x3.25 FEET



K 143 MT (7x3.25)

PLANKED DOOR

7x3.25 FEET



K 144 MT (7x3.25)

FLORA DOOR

7x3.25 FEET



K 145 MT (7x3.25)

UNIVERSAL DOOR



LamDoor

PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT

7x3.25 FEET



K 146 MT (7x3.25)

CRYSTAL DOOR

7x3.25 FEET



K 147 MT (7x3.25)

PETALS DOOR

7x3.25 FEET



K 148 MT (7x3.25)

ARABIC DOOR

7x3.25 FEET



K 149 MT (7x3.25)

RAJPUTANA DOOR



PRINTED DOOR


7x3.25 FEET



K 150 MT (7x3.25)

MAJESTIC DOOR

7x3.25 FEET



K 190 SF (7x3.25)

PLANKED WOOD

SAMPLES INDEX

Available : 7'x3.25' & 8'x4'



LamDoor



K 199 SF (7x3.25)
K 205 SF (8x4)

01



K 200 SF (7x3.25)
K 206 SF (8x4)

01



K 197 SF (7x3.25)
K 203 SF (8x4)

02



K 198 SF (7x3.25)
K 204 SF (8x4)

02



K 164 SF (7x3.25)
K 175 SF (8x4)

03



K 165 SF (7x3.25)
K 176 SF (8x4)

03



K 166 SF (7x3.25)
K 177 SF (8x4)

04



K 161 SF (7x3.25)
K 172 SF (8x4)

05



K 167 SF (7x3.25)
K 178 SF (8x4)

05



K 168 SF (7x3.25)
K 179 SF (8x4)

06



K 169 SF (7x3.25)
K 180 SF (8x4)

06



K 162 SF (7x3.25)
K 173 SF (8x4)

07



SAMPLES INDEX

Available : 7'x3.25' & 8'x4'

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



LamDoor



K 163 SF (7x3.25)
K 174 SF (8x4) **07**



K 155 SF (7x3.25)
K 160 SF (8x4) **08**



K 170 SF (7x3.25)
K 181 SF (8x4) **09**



K 171 SF (7x3.25)
K 182 SF (8x4) **09**



K 152 SF (7x3.25)
K 157 SF (8x4) **10**



K 153 SF (7x3.25)
K 158 SF (8x4) **10**



K 120 SF (7x3.25)
K 183 SF (8x4) **11**



K 128 SF (7x3.25)
K 184 SF (8x4) **11**



K 129 SF (7x3.25)
K 185 SF (8x4) **12**




K 131 SF (7x3.25)
K 186 SF (8x4) **12**



K 133 SF (7x3.25)
K 187 SF (8x4) **13**



K 017 SF (7x3.25)
1117 SF (8x4) **03**




K 011 SF (7x3.25)
1111 SF (8x4) **03**

SAMPLES INDEX

Available : 7'x3.25'



K 189 SF (7x3.25) **14**



K 102 SF (7x3.25) **15**



K 104 SF (7x3.25) **15**



K 106 SF (7x3.25) **16**



K 107 SF (7x3.25) **16**



K 109 SF (7x3.25) **17**



K 110 SF (7x3.25) **18**



K 111 SF (7x3.25) **18**



K 113 SF (7x3.25) **19**



K 114 SF (7x3.25) **19**



K 115 SF (7x3.25) **20**



SAMPLES INDEX

Available : 7'x3.25'



K 116 SF (7x3.25) 20



K 118 SF (7x3.25) 21



K 123 SF (7x3.25) 21



K 124 SF (7x3.25) 23



K 125 SF (7x3.25) 23



K 126 SF (7x3.25) 24



K 127 SF (7x3.25) 24



K 130 SF (7x3.25) 25



K 132 SF (7x3.25) 25



K 134 SF (7x3.25) 26



K 135 SF (7x3.25) 26



K 188 SF (7x3.25) 27

TECHNICAL SPECIFICATIONS



PROPERTIES	UNIT	SPECIFIED VALUE				DURIAN RESULT	
		IS 2046 : 1995	BS EN 438	DIN ES 438	ISO 4586-1	DURIAN VGS	DURIAN HGS
Surface Wear Resistance							
Bolling Water Resistance							
• Thickness Increase	%	14 Max.	14 Max.	14 Max.	14 Max.	8	7
• Weight Increase	%	12 Max.	12 Max.	12 Max.	12 Max.	7	6
• Appearance	Grade	4	4	4	4	4	3
Dimension Stability							
• MD (Machine Direction)	L - %	0.625 Max.	0.625 Max.	0.625 Max.	0.625 Max.	0.45	0.35
• CD (Cross Direction)	T - %	1.10 Max.	1.10 Max.	1.10 Max.	1.10 Max.	0.65	0.55
Resistance to Hight Temperature & Cigarette Burns	Grade	3	3	3	3	4	5
Resistance to Steam	Grade	4	4	4	4	5	5
Resistance to Dry Heat							
• Gloss	Grade	3	3	3	3	4	5
• Other	Grade	4	4	4	4	5	6
Resistance to Cracking	Grade	4	4	4	4	5	6
Resistance to Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter Ball Resistance	Newton	20	20	20	20	25	28
Dimension Stability at 20° C							
L - %	%	0.425 Max.	0.425 Max.	0.425 Max.	0.425 Max.	0.30	0.25
T - %	%	0.675 Max.	0.675 Max.	0.675 Max.	0.675 Max.	0.45	0.35
Specific gravity	gm/cm2					1.38 to 1.45	1.38 to 1.45
Resistance to Staining	Grade						
• Acetone		5	5	5	5	5	6
• Coffee		5	5	5	5	5	6
• Sodium Hydroxide 25% sol.		4	5	5	5	5	6
• Hydrogen Peroxide 30% sol.		4	4	4	4	5	6
• Shoe Polish		4	4	4	4	5	6
• Citric Acid 10% sol.		4	4	4	4	5	6
Resistance to colour change in							
• Xenon Arc Light	Blue Wool Standard	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.
• Carbon Arc Light	Standard	5 Min.	5 Min.	5 Min.	N/A	5 Min.	5 Min.

Grade: 5-highest, 1-Lowest, VGS : Vertical Grade Standard, HGS : Horizontal Grade Standard, Size : 1220 mm x 2440 mm

PRODUCT WARRANTY

Company provides warranty that the product is free from any manufacturing defects and is suitable to use for normal and usual purpose. In case of any visual defects, the product should not be used, cut, or altered in any manner. Company liability will be limited to the extent the cost of product only. The colour / shade may vary from lot to lot. do inspect properly before using the product. Company will not entertain any claim if the product in cut or altered in any manner for any visual or appearance, shade change / difference.

Our standard Decorative Laminates are COLD PRESS GRADE LAMINATES, Which are recommended for cold pressing only. Company will not entertain any claim of quality if the Laminates are pressed in HOT PRESS. HOT PRESSED GRADE laminates are available against Special Order.

"Formation of Air Bubbles and forming of Corner Cracks are application fault, Company do not entertain these complains"

Production Technical Data & Specification

Type : Conventional standard cold press interior grade laminate
Disclaimer : The actual door may vary due to printing laminates

Thickness : 0.8 MM

Size : 7x3.25 Feet
8x4 Feet

Product Standard : Comprising to
British European Standard : BS EN 438
American NEMA LD 3,
BIS (Bureau of Indian Standard) IS:2046
BIS (Bureau of Indian Standard) IS:2036
Grade P1 Phenolic/Electric Insulation.
ISO 4586.

Product Care & Maintenance

For cleaning the surface of the laminates, use dry cloth to wipe the stains. If needed ordinary liquid detergent (non-acidic) or ammoniated liquid can be used. After taking a trial on small portion Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use, wire or hard-plastic brushes, and abrasives to clean the surface.

Since, conventional laminates are made for interior decorations, should not be used for external use where there are chances for direct exposure to sunlight or any other sort of direct heat.

It is always recommended to keep the substrate horizontal while pasting the laminates. Immediate removal of pressure and vertical application should not be practised. Samples pasted in the folder represent the finish & design and not the actual thickness.

Cedar Decor Private Limited


A-1 / 1001, 10th Floor, Palladium, Corporate Rd., Makarba, Ahmedabad - 380015, Gujarat.

Ph.: +91 (79) 2970 5335 / 6 / 7 • Fax : +91 (79) 2970 5338

Email : mail@cedarindia.com

"Our standard doorskin are COLD PRESS GRADE LAMINATES, which are recommended for Cold Pressing only. Company will not entertain any claim of quality if the doorskin are pressed in HOT PRESS.

TRADE SAMPLE, NOT FOR SALE



QC
CDPL / DU / 0424