

WHERE EVERY **DOOR** BECOMES A
STATEMENT



DECORATIVE LAMINATES

www.durianlam.com

Durian

Durian

Durian



LamDoor

www.durianlam.com

Ask For



CEDAR DECOR PVT. LTD.


A-1 / 1001, 10th Floor, Palladium, Corporate Road,
Makarba, Ahmedabad - 380015, Gujarat.

Ph. : +91 (79) 2970 5335 / 6 / 7 • Fax : +91 (79) 2970 5338

email : mail@cedarindia.com

LamDoor





CHARM INTO YOUR SPACE
WITH OUR WOODEN DOORS

*natural
beauty*



www.durianlam.com

**VERTICAL &
HORIZONTAL DOOR**



Index

Index

PRINTED DOOR



K 150 MT (7x3.25) 31



K 202 MT (7x3.25) 31



K 136 MT (7x3.25) 32




K 137 MT (7x3.25) 32



K 138 MT (7x3.25) 33



K 139 MT (7x3.25) 33



K 140 MT (7x3.25) 34



K 142 MT (7x3.25) 35



K 147 MT (7x3.25) 35



K 145 MT (7x3.25) 36



K 190 SF (7x3.25) 37



About us

Open Your Doors To Opulence

"The extreme always makes an impression" with that in mind, Durian Door Skin Laminates bring to India's extremely high moving Project based High Pressure Laminates. We are known to provide the best quality of door skin and we offer a wide range of products to satisfy the needs of our each and every client. Pioneering into the market of laminates for over a decade Durian brings Innovative & trend setter product to catter the market.

ABOUT US DURIAN

Our Story began 1981 with the wholesale and retail trade of plywood. Today, we take pride in bringing you furniture solutions for every sector, space and taste.

AVAILABLE SIZE 7x3.25 | 8x4 FEET



7x3.25 FEET



NEW

K 207 SF (7x3.25)

HEARTWOOD SAP

7x3.25 FEET



K 124 SF (7x3.25)

SMOKED WALNUT

7x3.25 FEET



NEW

K 210 SF (7x3.25)

BRAZILIAN ROSEWOOD

7x3.25 FEET



NEW

K 211 SF (7x3.25)

ZIRICOTE



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 FEET



NEW

K 212 SF (7x3.25)

EUROPEAN WALNUT

7x3.25 FEET



NEW

K 101 MT (7x3.25)

VINTAGE WOOD


7x3.25 FEET



NEW

K 119 SF (7x3.25)

ALBIZIA WOOD



7x3.25 FEET



NEW

K 220 MT (7x3.25)

ARSALAND WALNUT

7x3.25 FEET



NEW

K 219 MT (7x3.25)

WINSTON OAK

7x3.25 FEET



NEW

K 222 MT (7x3.25)

WOODY WALNUT

7x3.25 FEET



NEW

K 221 MT (7x3.25)

RUSTIC DARK OAK


7x3.25 & 8x4 FEET



7x3.25 & 8x4 FEET



7x3.25



7x3.25



K 199 SF (7x3.25)
K 205 SF (8x4)

CUBA OAK RED

K 200 SF (7x3.25)
K 206 SF (8x4)

CUBA OAK

K 197 SF (7x3.25)

SAPWOOD POLISHED

K 198 SF (7x3.25)

RAW SAPWOOD

7x3.25 FEET



K 209 SF (7x3.25)


ASIAN WALNUT

7x3.25 FEET



K 127 SF (7x3.25)

AFRICAN WOOD



Silver Foil

EXQUISITE

Witness the raw charm of nature with a more vivid design.

7x3.25 & 8x4 FEET



7x3.25 & 8x4 FEET



7x3.25 & 8x4 FEET



7x3.25 & 8x4 FEET



K 161 SF (7x3.25)
K 172 SF (8x4)

CANYON WOOD

K 167 SF (7x3.25)
K 178 SF (8x4)

CANGO WALNUT YELLOW

K 168 SF (7x3.25)
K 179 SF (8x4)

CANGO WALNUT TAN

K 169 SF (7x3.25)
K 180 SF (8x4)

CANGO WALNUT BROWN



-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 FEET



7x3.25 & 8x4 FEET



7x3.25 FEET



7x3.25 FEET



K 164 SF (7x3.25)

TRINIDAD WOOD YELLOW

K 165 SF (7x3.25)

TRINIDAD WOOD RED

K 176 SF (8x4)

K 166 SF (7x3.25)

TRINIDAD WOOD BROWN

K 126 SF (7x3.25)

BRAZILIAN WOOD



**VERTICAL &
HORIZONTAL DOOR**

-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 FEET



K 170 SF (7x3.25)

BROWNY ACACIA

7x3.25 FEET



K 171 SF (7x3.25)

CREAMY ACACIA

7x3.25 & 8x4 FEET



K 152 SF (7x3.25)
K 157 SF (8x4)

EXOTIC WOOD BROWN

7x3.25 FEET



K 153 SF (7x3.25)

EXOTIC WOOD CHOCO




-  EXCELLENT STAIN RESISTANCE
-  BORER FUNGUS TERMITE GUARD
-  IMPACT RESISTANT



7x3.25 & 8x4 FEET



7x3.25 & 8x4 FEET



7x3.25 FEET



7x3.25 & 8x4 FEET



K 120 SF (7x3.25)
K 183 SF (8x4)

CLASSIC WALNUT

K 128 SF (7x3.25)
K 184 SF (8x4)

CARCASIAXI WALNUT

K 129 SF (7x3.25)

VANISH WENGE

K 131 SF (7x3.25)
K 186 SF (8x4)

ROSEN HOLZ

7x3.25 & 8x4 FEET



K 133 SF (7x3.25)
K 187 SF (8x4)

TYROL PINE



7x3.25 FEET



K 163 SF (7x3.25)

ORCHARD WOOD TEAK




HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 FEET



K 102 SF (7x3.25)

ZEBRA WOOD

7x3.25 FEET



K 189 SF (7x3.25)

ARIZONA WOOD

7x3.25 FEET



K 106 SF (7x3.25)

GOLDEN TEAKWOOD

7x3.25 FEET



K 107 SF (7x3.25)

EUROPEAN TEAKWOOD




HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 FEET



K 109 SF (7x3.25)

SILVANIA WOOD




7x3.25 FEET



K 110 SF (7x3.25)

BLACK PINE

7x3.25 FEET



K 111 SF (7x3.25)

KNOTTY PINE



VERTICAL & HORIZONTAL DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



7x3.25 FEET



K 113 SF (7x3.25)

DARK TEAKWOOD

7x3.25 FEET



K 114 SF (7x3.25)

PLATINO WOOD

7x3.25 FEET



K 115 SF (7x3.25)

PLATINO DARK WOOD

7x3.25 FEET




K 116 SF (7x3.25)

LEON WOOD



7x3.25 FEET



K 118 SF (7x3.25)

ALASKA WOOD

7x3.25 FEET



K 123 SF (7x3.25)

SPANISH WALNUT

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



FEEL
ELEGANT



7x3.25 FEET



K 130 SF (7x3.25)


MAJESTIC WOOD

7x3.25 FEET



K 132 SF (7x3.25)

BROWN PINE



7x3.25 FEET



K 135 SF (7x3.25)

KHOTTY WALNUT

PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



K 150 MT (7x3.25)

MAJESTIC DOOR




K 202 MT (7x3.25)

BLOSSOM DOOR



K 136 MT (7x3.25)

IMPERIAL DOOR



K 137 MT (7x3.25)

CRISSCROSS DOOR


PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



K 138 MT (7x3.25)

WOODLAB DOOR



K 139 MT (7x3.25)

ELEGANT DOOR



K 140 MT (7x3.25)

ANTIQUÉ DOOR

PRINTED DOOR

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT



K 142 MT (7x3.25)

CROSS CUT DOOR



K 147 MT (7x3.25)

PETALS DOOR



K 145 MT (7x3.25)

UNIVERSAL DOOR



PRINTED DOOR

SAMPLES INDEX

Available : 7'x3.25' & 8'x4'



K 190 SF (7x3.25)

PLANKED WOOD



K 207 SF (7x3.25)

01



K 124 SF (7x3.25)

01



K 119 SF (7x3.25)

04



K 220 MT (7x3.25)

05



K 219 MT (7x3.25)

05



K 222 MT (7x3.25)

06



K 210 SF (7x3.25)

02



K 211 SF (7x3.25)

02



K 221 MT (7x3.25)

06



K 199 SF (7x3.25)
K 205 SF (8x4)

07



K 200 SF (7x3.25)
K 206 SF (8x4)

07



K 197 SF (7x3.25)

08



K 212 SF (7x3.25)

03



K 101 MT (7x3.25)

03



K 198 SF (7x3.25)

08



K 209 SF (7x3.25)

09



K 127 SF (7x3.25)

09



K 161 SF (7x3.25)
K 172 SF (8x4)

11

SAMPLES INDEX

Available : 7'x3.25' & 8'x4'

- EXCELLENT STAIN RESISTANCE
- BORER FUNGUS TERMITE GUARD
- IMPACT RESISTANT

SAMPLES INDEX

Available : 7'x3.25'



K 167 SF (7x3.25)
K 178 SF (8x4) **11**



K 168 SF (7x3.25)
K 179 SF (8x4) **12**



K 169 SF (7x3.25)
K 180 SF (8x4) **12**



K 164 SF (7x3.25) **13**



K 128 SF (7x3.25)
K 184 SF (8x4) **17**



K 129 SF (7x3.25) **18**



K 131 SF (7x3.25)
K 186 SF (8x4) **18**



K 165 SF (7x3.25)
K 176 SF (8x4) **13**



K 166 SF (7x3.25) **14**



K 126 SF (7x3.25) **14**



K 170 SF (7x3.25) **15**



K 133 SF (7x3.25)
K 187 SF (8x4) **19**



K 163 SF (7x3.25) **20**



K 102 SF (7x3.25) **21**



K 189 SF (7x3.25) **21**



K 171 SF (7x3.25) **15**



K 152 SF (7x3.25)
K 157 SF (8x4) **16**



K 153 SF (7x3.25) **16**



K 120 SF (7x3.25)
K 183 SF (8x4) **17**



K 106 SF (7x3.25) **22**



K 107 SF (7x3.25) **22**



K 109 SF (7x3.25) **23**



K 110 SF (7x3.25) **24**



K 111 SF (7x3.25) 24



K 113 SF (7x3.25) 25



K 114 SF (7x3.25) 25



K 115 SF (7x3.25) 26



K 116 SF (7x3.25) 26



K 118 SF (7x3.25) 27



K 123 SF (7x3.25) 27



K 130 SF (7x3.25) 29



K 132 SF (7x3.25) 29



K 135 SF (7x3.25) 30



K 017 SF (7x3.25)
1117 SF (8x4)



K 011 SF (7x3.25)
1111 SF (8x4)

TECHNICAL SPECIFICATIONS

PROPERTIES	UNIT	SPECIFIED VALUE				DURIAN RESULT	
		IS 2046 : 1995	BS EN 438	DIN ES 438	ISO 4586-1	DURIAN VGS	DURIAN HGS
Surface Wear Resistance							
Boiling Water Resistance							
• Thickness Increase	%	14 Max.	14 Max.	14 Max.	14 Max.	8	7
• Weight Increase	%	12 Max.	12 Max.	12 Max.	12 Max.	7	6
• Appearance	Grade	4	4	4	4	4	3
Dimension Stability							
• MD (Machine Direction)	L - %	0.625 Max.	0.625 Max.	0.625 Max.	0.625 Max.	0.45	0.35
• CD (Cross Direction)	T - %	1.10 Max.	1.10 Max.	1.10 Max.	1.10 Max.	0.65	0.55
Resistance to High Temperature & Cigarette Burns	Grade	3	3	3	3	4	5
Resistance to Steam	Grade	4	4	4	4	5	5
Resistance to Dry Heat							
• Gloss	Grade	3	3	3	3	4	5
• Other	Grade	4	4	4	4	5	6
Resistance to Cracking	Grade	4	4	4	4	5	6
Resistance to Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter Ball Resistance	Newton	20	20	20	20	25	28
Dimension Stability at 20°C							
L - %	0.425 Max.	0.425 Max.	0.425 Max.	0.425 Max.	0.30	0.25	
T - %	0.675 Max.	0.675 Max.	0.675 Max.	0.675 Max.	0.45	0.35	
Specific gravity	g/cm ²					1.38 to 1.45	1.38 to 1.45
Resistance to Staining	Grade						
• Acetone		5	5	5	5	5	6
• Coffee		5	5	5	5	5	6
• Sodium Hydroxide 25% sol.		4	5	5	5	5	6
• Hydrogen Peroxide 30% sol.		4	4	4	4	5	6
• Shoe Polish		4	4	4	4	5	6
• Citric Acid 10% sol.		4	4	4	4	5	6
Resistance to colour change in							
• Xenon Arc Light	Blue Wool Standard	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.
• Carbon Arc Light		5 Min.	5 Min.	5 Min.	N/A	5 Min.	5 Min.

Grade: 5-highest, 1-Lowest, VGS : Vertical Grade Standard, HGS : Horizontal Grade Standard, Size : 1220 mm x 2440 mm

Production Technical Data & Specification

Type	: Conventional standard cold press interior grade laminate Disclaimer : The actual door may vary due to printing laminates
Thickness	: 0.8 MM (± 10% As per International Standard)
Size	: 7x3.25 Feet 8x4 Feet
Product Standard	: Comprising to British European Standard : BS EN 438 American NEMA LD 3, BIS (Bureau of Indian Standard) IS:2046 BIS (Bureau of Indian Standard) IS:2036 Grade P1 Phenolic/Electric Insulation. ISO 4586.

Product Care & Maintenance

For cleaning the surface of the laminates, use dry cloth to wipe the stains. If needed ordinary liquid detergent (non-acidic) or ammoniated liquid can be used. After taking a trial on small portion Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use, wire or hard-plastic brushes, and abrasives to clean the surface.

Since, conventional laminates are made for interior decorations, should not be used for external use where there are chances for direct exposure to sunlight or any other sort of direct heat.

It is always recommended to keep the substrate horizontal while pasting the laminates. Immediate removal of pressure and vertical application should not be practised. Samples pasted in the folder represent the finish & design and not the actual thickness.

Cedar Decor Private Limited

A-1 / 1001, 10th Floor, Palladium, Corporate Rd., Makarba, Ahmedabad - 380015, Gujarat.

Ph.: +91 (79) 2970 5335 / 6 / 7 • Fax : +91 (79) 2970 5338

Email : mail@cedarindia.com

"Our standard doorskin are COLD PRESS GRADE LAMINATES, which are recommended for Cold Pressing only. Company will not entertain any claim of quality if the doorskin are pressed in HOT PRESS.

TRADE SAMPLE, NOT FOR SALE

