



ROMANIA
PREMIUM COLLECTION

COLLECTION 2026-27
MAKING A STATEMENT

ROMANIA
PREMIUM COLLECTION

CEDAR DECOR PVT. LTD.
A-1/1001, 10Th Floor, Palladium Tower, Corporate Road, Makarba,
Ahmedabad-380051, Gujrat, India.
Ph: +91 (79) 2970 5335 / 6 / 7 Email : mail@cedarindia.com
www.durianlam.com

1mm
UNIQUENESS
REDEFINED
2026 - 27

1mm
UNIQUENESS
REDEFINED

OUR
ENERGY
BUILDS
MOMENTUM
OUR
ETHICS
BUILD
TRUST

45+ years of experience in manufacturing & marketing
world-class products

ABOUT US

First impression is the last impression. Inspired by this principal rule of the interior design industry, Durian started its state-of-the-art factory for the manufacturing of Decorative High-Pressure Laminates in Feb 2006. Along with Decorative High-Pressure Laminates. Our factory is also equipped to produce Metal Foil Laminates, Abrasion-Resistant Laminates, Exterior Laminates, Anti-Scratch Laminates, Anti-Fingerprint Laminates, Anti-Fungus Laminates, Post Formable Laminates, Digital Printed Laminates, and Door Skins to name a few.

Keeping quality in mind, the factory is certified for ISI 2046, ISO 9001, and ISO 14001. We also adhere to British European Standards (BS EN 438) and NEMA Standards (ANSI/NEMA LD 3). We have also incorporated a 7-point Quality Control System to ensure that every one of our laminate sheets goes through seven quality control checkpoints during its production period. This system guarantees that only the highest-quality products are made available to our valuable customers.

To further guarantee the quality of our finished product, we take extreme care in sourcing raw materials of the highest quality. Our raw materials are acquired from industry leaders worldwide, including countries such as the USA, Italy, France, Germany, Belgium, Japan, and Malaysia.

Our factory is also equipped with a state-of-the-art chemical plant that manufactures resins used in the production of laminates. Having a modern plant allows our R&D team to experiment with innovative materials to produce quality resins that will stand the test of time. As a result, we are the only brand in India to offer BFT (Borer, Fungus and Termite) Guard in our laminates.



Scan & download catalogue



Scan to visit website

OUR ETHOS

CREATIVITY

We strive to provide unique design solutions. To achieve it, we have creative artists who keep on exploring & creating “unique design collection”.

INNOVATION

Inspiration needs to be translated into reality. We always strive to reach closer to our dreams by innovation, whether in terms of technique, formats, looks, colours, patterns, designs.

INSPIRATION

Nature as a whole inspires us towards the spectrum of colour and helps us in the decoration of our surroundings. While executing this source of inspiration, we keep on discovering our future with the help of experiences of our past.

TRANSPARENCY

We believe in transparency in all what we do, be it quality, pricing or dealing with our business associates.

PASSION DRIVEN

Our passion towards laminates help us to innovate & create things which makes the difference, whether in product creativity or in services offered to the market.

TEAMWORK

Teamwork is the key to success. We believe to take all actions in 360° integrated approach which brings in lots of learning and satisfaction to the whole team.

WORLDWIDE NETWORK



3.7+
MILLION CUSTOMERS

11,000+
CORPORATE CLIENTS

250+
DISTRIBUTION NETWORK

40,000+
DEALER NETWORK

1200+ Designs
Available &
sourced world over

22 Different
Grades of Laminates
available

250+ Different
Surface Textures
produced

7-point
Quality Control
System

Durian Laminates is a key player in the laminate industry in India. Not just that, we also export our range of premium products to over 35+ countries. Our laminate range is widely acclaimed by our global customers as a quality product.





suitable
for food
contact





low light
reflecting
extremely
matt
surface





soft
touch





anti
finger
mark





soft
touch





thermal
heating
of micro
scratches





easy
to
clean





high
resistance
to acid
solvents





anti
bacterial





anti
scratches





resistance
to dry heat

SALIENT
FEATURES

For Durian Romania range, we seek inspiration from everything that resembles the natural look & surfaces. Nature has inspired us to develop an exhaustive range which depicts the sheen and feel of the natural wood and stone surfaces.



GRATIZO **GZ**



5183 GZ



5183 GZ
RAW HALITE



5182 GZ
HALITE SALT

Rich & refined



GRATIZO GZ




Built to impress



5176 GZ
SAWAR MARBLE



5179 GZ



Timeless elegance

Inspired by nature



5179 GZ
GREY PEARL MARBLE




5175 GZ
ZARAGOZA MARBLE





Timeless charm of natural stone.



5178 GZ
GOLD METAMORPHIC





5184 QY
PIN OAK



5185 QY
CHERRYBARK OAK



QUARTERAL
VENEER QY

ZERO REFLECTION SURFACE



5163 QY



5163 QY



5162 QY
CHIR PINE



5163 QY
PITCH PINE





5210 QY
INDONESIAN TEAK




5211 QY



5211 QY
WALNUT PLANKS



HERRINGBONE **HY**




1294 HY
PALE PINK




1295 HY
APRICOT




1103 HY
FROSTY WHITE



1257 HY
SLATE GREY



1293 HY
BLUSH PINK



1163 HY
COBBLE STONE



| Timeless elegance
& Modern charm



5186 YE
RIFT CUT OAK



5187 YE



5187 YE
ROUGH CUT OAK





5160 YE
MAYDOS TEAK



5160 YE



5161 YE
RUSTIC MAYDOS






5158 YE
CALIFORNIA ASH




5159 YE
AMERICAN ASH




HEXA CONVEX HE




1103 HE
FROSTY WHITE




1163 HE
COBBLE STONE




1296 HE
CLARY SAGE



1258 HE
MISTY GREY



1170 HE
JET BLACK



1241 HE
STONINGTON GREY





5136 BY
ULMAS SEROTINA



5137 BY
PRUNUS SEROTINA





Nature's charm modern elegance



5201 BY
SLASH PINE



Crafted to elevate every space

5208 BY
SATIN OAK





5138 BY
CONTINENTAL SPINNEY



5138 BY




5220 BY



5220 BY
EUROPEAN OAK




ULTRA HIGH GLOSS STONE **UH++**



Gracefully subtle



ULTRA HIGH GLOSS STONE **UH++**



5194 UH++
DIORITE GRANITO




Marmo Luxe



5196 UH++
WHITE STATUARIO VENATO



ULTRA HIGH GLOSS STONE **UH++**



5179 UH++
GREY PEARL MARBLE



5175 UH++
ZARAGOZA MARBLE



Designed to dazzle



5176 UH++
SAWAR MARBLE




ULTRA HIGH GLOSS STONE **UH++**



An exquisite touch of luxury in every grain



5180 UH++
SNOWBLUE MARBLE



5181 UH++
BLUE PEARL MARBLE




5178 UH++
GOLD METAMORPHIC





5193 KG
MINTY GREEN



1103 KG
FROSTY WHITE



1163 KG
COBBLE STONE



1241 KG
STONINGTON GREY




1257 KG
SLATE GREY



1297 KG
ESPRESSO BARK



1298 KG
PLUM PASTEL



1299 KG
TAUPE TONE



1301 KG
WISTERIA PASTEL



KRYSTAL GRACE KG



5186 KG
RIFT CUT OAK



5187 KG
ROUGH CUT OAK



KRYSTAL GRACE **KG**



5136 KG
ULMAS SEROTINA



5172 KG
SPEAR WALNUT





Beauty in every layer



5161 KG
RUSTIC MAYDOS



5160 KG
MAYDOS TEAK



5166 KG
PREMIUM OAK



HOLM OAK HI



5221 HI
EUROPEAN WALNUT



5164 HI
RAW OAK



HOLM OAK HI



5170 HI
GOLDLINE TEAK



5171 HI
GREYLINE TEAK



5169 HI
EURO OAK



5166 HI
PREMIUM OAK



PANNEL JADE PJ



5220 PJ
EUROPEAN OAK



Natural warmth
with contemporary
perfection



5217 PJ
OKOUME LUMBER



5216 PJ
OKOUME GABOON



PANNEL JADE PJ



5167 PJ
EURO BUROAK



5168 PJ
AMERICAN OAK



5169 PJ
EURO OAK



ZORRICK BARK **ZB**



2037 ZB
TYROL PINE



3976 ZB
WHITE TYROL PINE



2334 ZB
SANDAL WOOD




QUERCUS PLANK **QP**




5172 QP
SPEAR WALNUT




Warmth & timeless natural elegance.




1104 UH++
SUPER WHITE




1101 UH++
NATURAL WHITE



1103 UH++
FROSTY WHITE




1433 UH++
FLORA WHITE



1163 UH++
COBBLE STONE



1242 UH++
CAMEL



1421 UH++
AUTUMN




1244 UH++
SEASANE




1256 UH++
SILVER GREY



1249 UH++
PEWTER GREY



1241 UH++
STONINGTON GREY




1294 UH++
PALE PINK



1295 UH++
APRICOT



1432 UH++
CHESTNUT




1243 UH++
STONE



1257 UH++
SLATE GREY



1254 UH++
CHARCOAL GREY



1258 UH++
MISTY GREY




1170 UH++
JET BLACK




1293 UH++
BLUSH PINK



1425 UH++
CELESTO



1247 UH++
OCEAN




1431 UH++
TEAL



1434 UH++
FOSSIL GREEN




1296 UH++
CLARY SAGE




1245 UH++
PISTACHIO



1423 UH++
MOSS GREEN



1246 UH++
ISLAND




1435 UH++
TURQUOISE







1101 ZK
NATURAL WHITE




1103 ZK
FROSTY WHITE



1433 ZK
FLORA WHITE



1163 ZK
COBBLE STONE




1242 ZK
CAMEL



1421 ZK
AUTUMN



1244 ZK
SEASANE




1297 ZK
ESPRESSO BARK



1256 ZK
SILVER GREY




1249 ZK
PEWTER GREY



1241 ZK
STONINGTON GREY



— ZERO
MATT
PASTELS
ZK




1294 ZK
PALE PINK



1295 ZK
APRICOT



1432 ZK
CHESTNUT




1243 ZK
STONE



1254 ZK
CHARCOAL GREY



1257 ZK
SLATE GREY



1258 ZK
MISTY GREY



1170 ZK
JET BLACK



1293 ZK
BLUSH PINK



1301 ZK
WISTERIA PASTEL



1299 ZK
TAUPE TONE




1298 ZK
PLUM PASTEL




1245 ZK
PISTACHIO



1423 ZK
MOSS GREEN



1434 ZK
FOSSIL GREEN




1296 ZK
CLARY SAGE




1425 ZK
CELESTO



1431 ZK
TEAL



1247 ZK
OCEAN



1435 ZK
TURQUOISE

VENEER WOODS **SF**



5164 SF
 RAW OAK



5168 SF
 AMERICAN OAK



5165 SF
 BRIGHT OAK




5162 SF
 CHIR PINE



5163 SF
 PITCH PINE



ULTRA HIGH GLOSS METALLIC **UH++**



5170 UH++
GOLDLINE TEAK



Sustainable
Luxury



5170
UH++

5171 UH++



5171 UH++
GREYLINE TEAK



INFUSED METALS **UH++**



5141 UH++
CREAM INFUSED



WOOD **UH++**



5172 UH++
SPEAR WALNUT



5140 UH++
SREEN INFUSED



Flawless
surface harmony





5160 UH++

WOOD UH++



5166 UH++
PREMIUM OAK



5160 UH++
MAYDOS TEAK



5161 UH++
RUSTIC MAYDOS



5167 UH++
EURO BUROAK



5169 UH++
EURO OAK



5185 UH++
CHERRYBARK OAK



5184 UH++
PIN OAK



WOOD UH++



5123 UH++
STROBUS PINE




5136 UH++
ULMAS SEROTINA



5137 UH++
PRUNUS SEROTINA




5130 UH++
VICTORWOOD TAUPE




5134 UH++
NATURALASHWOOD




ULTRA
HIGH GLOSS
METALLIC **UH++**




5111 UH++
WHITE UNI METAL




5112 UH++
PEARL UNI METAL




Lustrous




5144 UH++
TORTILLA UNI METAL



5145 UH++
CEDAR UNI METAL



5142 UH++
SEAL UNI METAL




5143 UH++
BEIGE UNI METAL




5111
UH++


5143
UH++




5190 UH++
SILK GOLD



5191 UH++
HAZELNUT BROWN



5192 UH++
ROSE GOLD



5193 UH++
MINTY GREEN





5159 ZK
AMERICAN ASH



Where beauty meets durability



5158 ZK
CALIFORNIA ASH



ZERO MATT STONE ZK



5177 ZK
BRESCIO AURORA



Inspired by nature,
perfected for your space



5182 ZK
HALITE SALT



5183 ZK
RAW HALITE



ZERO MATT STONE **ZK**



5199 ZK
METROPOLITAN VOLAKAS




5195 ZK
TONALITE GRANITO



Nature's essence, transformed
for iconic spaces



5198 ZK
GREY CASPIO LIGHT



5197 ZK
GREY CASPIO BROWN



HIGH DEFINITION DIGITAL **ZK**




5151 ZK
ALABASTER FLUTE




Brings warmth, style,
and a story to your interiors

ZERO MATT STONE **ZK**



5181 ZK
BLUE PEARL MARBLE



5180 ZK
SNOWBLUE MARBLE



FIGURED OAK **F3**



5136 F3
ULMAS SEROTINA



5139 F3
SPANISH SPINNEY



5137 F3
PRUNUS SEROTINA



5138 F3
CONTINENTAL SPINNEY



NATURAL ASH **NA**



2174 NA
CLUSIA ACACIA



2334 NA
SANDAL WOOD



2354 NA
LEMON WOOD



5108 NA
PERSIAN WALNUT







1244 F2




1103 F2
FROSTY WHITE




1163 F2
COBBLE STONE




1242 F2
CAMEL



1244 F2
SEASANE



1254 F2
CHARCOAL GREY



1256 F2
SILVER GREY



ZERO JUGLANCE ZJ



2370 ZJ
QUARTER CUT OAK



5133 ZJ
URBAN ASHWOOD



5124 ZJ
PENALS PINE



5123 ZJ
STROBUS PINE



5135 ZJ
TWILIGHT ASHWOOD



5132 ZJ
CLASSIC ASHWOOD



ROCKY RY



2178 RY
GREY CONCRETE




2367 RY
PORTUGUESE CONCRETE



5125 RY
ROMAN STONE



5127 RY
MARVEL STONE



2368 RY
VALONGO CONCRETE




3086 RY
TAN NUBUK



ASH WOOD **AW**



5102 RE



1103 AW
FROSTY WHITE



RADIANT ENGRAVE **RE**



5101 RE
MOROCCAN WALNUT



2454 AW
WALNUT GURNERI



5102 RE
BOLIVIA WALNUT



MARBLE **HS+**



5109 HS+
CALACATTA MARBLE



ZK



5109 ZK
CALACATTA MARBLE



RAW VENEER **RV**



2178 RV
GREY CONCRETE



2179 RV
CREAM CONCRETE



STONES **UH++**



5126 UH++
PERU STONE



5127 UH++
MARVEL STONE



LEATHER **LR**



1103 LR
FROSTY WHITE



1163 LR
COBBLE STONE



1421 LR
AUTUMN



3086 LR
TAN NUBUK



TWINKLE HORIZON **TH HZ**



2292 TH HZ
CASTLE CAOBA




WOODY **WY**



5103 WY
TURKEY WALNUT



5104 WY
FRENCH WALNUT



2294 TH HZ
CAPERS CAOBA



NATURAL OAK **NO**



2429 NO
NORTHLAND WALNUT



5139 NO
SPANISH SPINNEY



PLANKED ASH **PA**



2027 PA
BROWN BIRCH



2334 PA
SANDAL WOOD



5104 PA
FRENCH WALNUT



CLASSIC KNOTS **CK**



5101 CK
MOROCCAN WALNUT




5104 CK
FRENCH WALNUT



AMAZON TEAK **AT**



2292 AT
CASTLE CAOBA



2294 AT
CAPERS CAOBA





2037 ZK
TYROL PINE



2459 ZK
AMERICAN WALNUT



5103 ZK
TURKEY WALNUT



5104 ZK
FRENCH WALNUT



5101 ZK
MOROCCAN WALNUT



5102 ZK
BOLIVIA WALNUT



5130 ZK
VICTORWOOD TAUPE



5131 ZK
DATTONWOOD TAUPE





2037 HS+
TYROL PINE



3976 HS+
WHITE TYROL PINE



2354 HS+
LEMON WOOD



2334 HS+
SANDAL WOOD



2292 HS+
CASTLE CAOBA



2335 HS+
RED MAHOGANY



5101 HS+
MOROCCAN WALNUT



5102 HS+
BOLIVIA WALNUT



WOODS SF



2037 SF
TYROL PINE




2292 SF
CASTLE CAOBA



5131 SF
DATTONWOOD TAUPE




5123 SF
STROBUS PINE



2427 SF
BOXER OAK



3976 SF
WHITE TYROL PINE



2234 SF
SANDAL WOOD



2027 SF
BROWN BIRCH



5130 SF
VICTORWOOD TAUPE




5124 SF
PENALS PINE



2426 SF
BLENDED OAK




WOODS SF



2356 SF
URBAN TEAK



2082 SF
ATHY CHESTNUT



5132 SF
CLASSIC ASHWOOD



5101 SF
MOROCCAN WALNUT



5102 SF
BOLIVIA WALNUT



2435 SF
NEXUS WALNUT



2354 SF
LEMON WOOD




5133 SF
URBAN ASHWOOD



5135 SF
TWILIGHT ASHWOOD



5104 SF
FRENCH WALNUT



5103 SF
TURKEY WALNUT




2454 SF
WALNUT GURNERI



WOODS SF




2429 SF
NORTHLAND WALNUT



2410 SF
NORWAY WALNUT



5221 SF
EUROPEAN WALNUT



2174 SF
CLUSIA ACACIA




2164 SF
ICE BEECH




2117 SF
MANGFALL BEECH




2369 SF
CANYON WALNUT



2459 SF
AMERICAN WALNUT



2370 SF
QUARTER CUT OAK



2114 SF
HIGHLAND PINE



2335 SF
RED MAHOGANY



2176 SF
ALBIZIA MAPLE





5137 SK

SILKEN WOODS SK



5136 SK
ULMAS SEROTINA



5108 SK



2176 SK
ALBIZIA MAPLE



2334 SK
SANDAL WOOD



5137 SK
PRUNUS SEROTINA



5138 SK
CONTINENTAL SPINNEY



5139 SK
SPANISH SPINNEY



2354 SK
LEMON WOOD



2356 SK
URBAN TEAK




5108 SK
PERSIAN WALNUT







SOLID GLOSSY **HS+**



1104 HS+
SUPER WHITE




1101 HS+
NATURAL WHITE



1103 HS+
FROSTY WHITE



1360 HS+
BLACK CURRANT




1252 HS+
ROMAN YELLOW




1342 HS+
BRIGHT YELLOW



1315 HS+
BERRY RED



1206 HS+
CHERRY



1197 HS+
ALASKA BLUE




1185 HS+
ROYAL BLUE



1420 HS+
BUBBLE GUM PINK



1319 HS+
HOT PINK



FOIL




5001 F/MT
SILVER FOIL




5003 F/MT
BRONZE FOIL

ALL CORE




110D ALC/HS+
SUPER WHITE



102D ALC/HS+
OFF WHITE

SOLID MATT **MT**




1103 MT
FROSTY WHITE



1170 MT
JET BLACK


SOLID SUEDE SF




1101 SF
NATURAL WHITE




1104 SF
SUPER WHITE



1103 SF
FROSTY WHITE



1163 SF
COBBLE STONE



1357 SF
YELLOW



1342 SF
BRIGHT YELLOW



1274 SF
ORANGE




1315 SF
BERRY RED



1256 SF
SILVER GREY




1249 SF
PEWTER GREY



1257 SF
SLATE GREY



1254 SF
CHARCOAL GREY



1197 SF
ALASKA BLUE




1194 SF
ELECTRIC BLUE



1250 SF
POISON BLUE




1185 SF
ROYAL BLUE




1170 SF
JET BLACK



1255 SF
PARROT GREEN



1251 SF
GREEN



1380 SF
BASIL GREEN



1259 SF
BLUE



1260 SF
PURPLE



1319 SF
HOT PINK



TEXTURES COLLECTION



AT



AW



BY



CK



PA




PJ



QP



QY



F2



F3



GZ



HE




RE



RV




RY



SF



HI




HS+



HY




KG



SK



TH HZ




UH++



WY



LR



MT



NA



NO




YE



ZB



ZJ



ZK



Sr. No.	Design No.	Finish	Page No.	Sr. No.	Design No.	Finish	Page No.	Sr. No.	Design No.	Finish	Page No.	Sr. No.	Design No.	Finish	Page No.
HD-DIGITAL				84	1293	ZK	66	169	2370	SF	115	254	5159	ZK	79
1	5151	ZK	85	85	1294	HY	23	170	2370	ZJ	93	255	5160	KG	52
CONVENTIONAL				86	1294	UH++	64	171	2410	SF	115	256	5160	UH++	74
2	1101	HS+	119	87	1294	ZK	66	172	2426	SF	112	257	5160	YE	27
3	1101	SF	121	88	1295	HY	23	173	2427	SF	112	258	5161	KG	51
4	1101	UH++	63	89	1295	UH++	64	174	2429	NO	104	259	5161	UH++	74
5	1101	ZK	65	90	1295	ZK	66	175	2429	SF	115	260	5161	YE	28
6	1103	AW	97	91	1296	HE	31	176	2435	SF	114	261	5162	QY	19
7	1103	F2	92	92	1296	UH++	63	177	2454	AW	97	262	5162	SF	68
8	1103	HE	31	93	1296	ZK	65	178	2454	SF	114	263	5163	QY	20
9	1103	HS+	119	94	1297	KG	47	179	2459	SF	115	264	5163	SF	68
10	1103	HY	24	95	1297	ZK	66	180	2459	ZK	107	265	5164	HI	54
11	1103	KG	47	96	1298	KG	47	181	3086	LR	102	266	5164	SF	67
12	1103	LR	102	97	1298	ZK	66	182	3086	RY	95	267	5165	SF	67
13	1103	MT	120	98	1299	KG	47	183	3976	ZB	61	268	5166	HI	56
14	1103	SF	121	99	1299	ZK	66	184	3976	HS+	109	269	5166	KG	52
15	1103	UH++	63	100	1301	KG	47	185	3976	SF	111	270	5166	UH++	73
16	1103	ZK	65	101	1301	ZK	66	186	5101	CK	106	271	5167	PJ	59
17	1104	HS+	119	102	1315	HS+	119	187	5101	HS+	110	272	5167	UH++	73
18	1104	SF	121	103	1315	SF	122	188	5101	RE	98	273	5168	PJ	59
19	1104	UH++	63	104	1319	HS+	119	189	5101	SF	114	274	5168	SF	67
20	1163	F2	92	105	1319	SF	122	190	5101	ZK	107	275	5169	HI	56
21	1163	HE	31	106	1342	HS+	119	191	5102	HS+	110	276	5169	PJ	60
22	1163	HY	24	107	1342	SF	122	192	5102	RE	98	277	5169	UH++	73
23	1163	KG	47	108	1357	SF	122	193	5102	SF	114	278	5170	HI	55
24	1163	LR	102	109	1360	HS+	119	194	5102	ZK	107	279	5170	UH++	69
25	1163	SF	121	110	1380	SF	121	195	5103	SF	114	280	5171	HI	55
26	1163	UH++	64	111	1420	HS+	119	196	5103	WY	104	281	5171	UH++	70
27	1163	ZK	65	112	1421	LR	102	197	5103	ZK	108	282	5172	KG	50
28	1170	HE	32	113	1421	UH++	64	198	5104	CK	106	283	5172	QP	62
29	1170	MT	120	114	1421	ZK	66	199	5104	PA	105	284	5172	UH++	72
30	1170	SF	121	115	1423	UH++	63	200	5104	SF	114	285	5173	UH++	39
31	1170	UH++	63	116	1423	ZK	65	201	5104	WY	104	286	5174	UH++	40
32	1170	ZK	65	117	1425	UH++	64	202	5104	ZK	108	287	5175	GZ	14
33	1185	HS+	119	118	1425	ZK	66	203	5108	NA	90	288	5175	UH++	43
34	1185	SF	122	119	1431	UH++	64	204	5108	SK	118	289	5176	GZ	12
35	1194	SF	122	120	1431	ZK	66	205	5109	HS+	99	290	5176	UH++	44
36	1197	HS+	119	121	1432	UH++	64	206	5109	ZK	99	291	5177	ZK	81
37	1197	SF	122	122	1432	ZK	66	207	5111	UH++	77	292	5178	GZ	15
38	1206	HS+	119	123	1433	UH++	63	208	5112	UH++	77	293	5178	UH++	45
39	1241	HE	32	124	1433	ZK	65	209	5123	SF	112	294	5179	GZ	13
40	1241	KG	47	125	1434	UH++	63	210	5123	UH++	75	295	5179	UH++	43
41	1241	UH++	63	126	1434	ZK	65	211	5123	ZJ	94	296	5180	UH++	46
42	1241	ZK	65	127	1435	UH++	64	212	5124	SF	112	297	5180	ZK	86
43	1242	F2	92	128	1435	ZK	66	213	5124	ZJ	94	298	5181	UH++	46
44	1242	UH++	64	129	2027	PA	105	214	5125	RY	96	299	5181	ZK	86
45	1242	ZK	66	130	2027	SF	111	215	5126	UH++	101	300	5182	GZ	9
46	1243	UH++	64	131	2037	ZB	61	216	5127	RY	96	301	5182	ZK	82
47	1243	ZK	66	132	2037	HS+	109	217	5127	UH++	101	302	5183	GZ	10
48	1244	F2	92	133	2037	SF	111	218	5130	SF	112	303	5183	ZK	82
49	1244	UH++	64	134	2037	ZK	107	219	5130	UH++	75	304	5184	QY	17
50	1244	ZK	66	135	2082	SF	113	220	5130	ZK	108	305	5184	UH++	74
51	1245	UH++	63	136	2114	SF	116	221	5131	SF	112	306	5185	QY	18
52	1245	ZK	65	137	2117	SF	116	222	5131	ZK	108	307	5185	UH++	74
53	1246	UH++	64	138	2164	SF	116	223	5132	SF	113	308	5186	KG	48
54	1247	UH++	64	139	2174	NA	89	224	5132	ZJ	94	309	5186	YE	25
55	1247	ZK	66	140	2174	SF	116	225	5133	SF	113	310	5187	KG	48
56	1249	SF	121	141	2176	SF	116	226	5133	ZJ	93	311	5187	YE	26
57	1249	UH++	63	142	2176	SK	118	227	5134	UH++	75	312	5190	UH++	78
58	1249	ZK	65	143	2178	RV	100	228	5135	SF	113	313	5191	UH++	78
59	1250	SF	122	144	2178	RY	95	229	5135	ZJ	94	314	5192	UH++	78
60	1251	SF	121	145	2179	RV	100	230	5136	BY	33	315	5193	KG	47
61	1252	HS+	119	146	2292	AT	106	231	5136	F3	87	316	5193	UH++	78
62	1254	F2	92	147	2292	HS+	109	232	5136	KG	49	317	5194	UH++	41
63	1254	SF	121	148	2292	SF	111	233	5136	SK	117	318	5195	ZK	83
64	1254	UH++	63	149	2292	TH ZH	103	234	5136	UH++	76	319	5196	UH++	42
65	1254	ZK	65	150	2294	AT	106	235	5137	BY	34	320	5197	ZK	84
66	1255	SF	121	151	2294	TH HZ	103	236	5137	F3	87	321	5198	ZK	84
67	1256	F2	92	152	2334	ZB	61	237	5137	SK	117	322	5199	ZK	83
68	1256	SF	121	153	2334	HS+	110	238	5137	UH++	76	323	5201	BY	35
69	1256	UH++	63	154	2334	NA	89	239	5138	BY	37	324	5208	BY	36
70	1256	ZK	65	155	2334	PA	105	240	5138	F3	87	325	5210	QY	21
71	1257	HY	24	156	2334	SF	111	241	5138	SK	117	326	5211	QY	22
72	1257	KG	47	157	2334	SK	118	242	5139	F3	88	327	5216	PJ	58
73	1257	SF	121	158	2335	HS+	109	243	5139	NO	104	328	5217	PJ	58
74	1257	UH++	63	159	2335	SF	116	244	5139	SK	117	329	5220	BY	38
75	1257	ZK	65	160	2354	HS+	110	245	5140	UH++	71	330	5220	PJ	57
76	1258	HE	31	161	2354	NA	90	246	5141	UH++	71	331	5221	HI	53
77	1258	UH++	63	162	2354	SF	113	247	5142	UH++	77	332	5221	SF	115
78	1258	ZK	65	163	2354	SK	118	248	5143	UH++	77	ALL CORE			
79	1259	SF	122	164	2356	SF	113	249	5144	UH++	77	333	102D	ALC/HS+	120
80	1260	SF	122	165	2356	SK	118	250	5145	UH++	77	334	110D	ALC/HS+	120
81	1274	SF	122	166	2367	RY	95	251	5158	YE	29	FOIL			
82	1293	HY	24	167	2368	RY	95	252	5158	ZK	80	335	5001	F/MT	120
83	1293	UH++	64	168	2369	SF	115	253	5159	YE	30	336	5003	F/MT	120

TECHNICAL SPECIFICATION

PROPERTIES	UNIT	SPECIFIED VALUE				DURIAN RESULT	
		IS:2046/95	BSEN438	DINEN438	ISO4586-1	VGS	HGS
Surface Wear Resistance	REV.	350	350	350	350	350 Min	500 Min
Boiling Water Resistance							
• Thickness Increase	%	12.0 Max	14.0 Max	14.0 Max	14.0 Max	8	7
• Weight Increase	%	14.0 Max	12.0 Max	12.0 Max	12.0 Max	7	6
• Appearance		Grade	4	4	4	4	5
Dimension Stability							
• MD (Machine Direction)	L-%	0.53 Max	0.625 Max	0.625 Max	0.625 Max	0.45	0.35
• CD (Cross Direction) T-%	T-%	1.01 Max	1.100 Max	1.100 Max	1.100 Max	0.65	0.55
Resistance to High Temperature & Cigarette Burns		Grade	3	3	3	3	4
Resistance to Steam	Grade	4	4	4	4	5	5
Resistance to Dry Head							
• Gloss	Grade	3	3	3	3	4	4
• Other		4	4	4	4	5	5
Resistance to Cracking	Grade	4	4	4	4	5	5
Resistance To Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter. Ball Resistance	Newton	20	20	20	20	25	28
Specific Gravity	gm/cm3	-	-	-	-	1.38 to 1.45	1.38 to 1.45
Resistance to Staining	Grade						
• Acetone		5	5	5	5	5	5
• Coffee		5	5	5	5	5	5
• Sodium Hydroxide 25% Solution		5	5	5	5	5	5
• Hydrogen Peroxide - 30%		4	4	4	4	5	5
• Shoe Polish		4	4	4	4	5	5
• Citric Acid-10 % solution		4	4	4	4	5	5
Resistance to Color Change in							
• Xenon Arc Light in Enclosed	Blue Wool	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.
• Carbon Arc Light	Standard	5 Min.	5 Min.	5 Min.	N / A	5 Min.	5 Min.